

- Designed for economical water consumption
- Large 2" diameter welded stainless steel P-trap
- Flushing rim washes all four walls
- All units factory tested for proper operation

# **Specifications**

### Materials

All cabinet materials, including interior piping are Type 304 stainless steel. The fixture is made from heavy gauge stainless steel with seamless welded surfaces.

#### Construction

All welded construction with welds ground smooth to eliminate all accessible seams and voids. Urinal has washout type action. Flushing connection is 3/4" NPS male and requires a minimum of 30 PSI for flushing. P-trap is stainless steel, has a 4" seal, and will pass a 1.9" ball. P-trap is welded to the urinal and has a 2" NPT connection. Urinal features a continuous flushing rim which washes all four walls. Bottom of urinal is sloped to integrally welded high-capacity stainless steel beehive dome strainer. P-trap is fully enclosed and there are no accessible seams, voids, or crevices where contraband can be concealed. Urinal assembly meets ANSI/ASME A112.19.2.

#### **Flush Valve**

Flush valve is not included as standard equipment with the unit. Flush valve included when specified. Flush valve rated at 1.5 to 1.6 gallons per flush.

## Finish

All exposed stainless steel surfaces have a bead blast finish (optional #4 satin polished finish).


#### Wall Anchoring

No exposed mounting fasteners in cell area – fixture is completely secured from pipe chase side with rust-resistant mounting hardware for walls up to 12" thick.



Fixture requires wall openings and accessible chase for installation and maintenance. Some field assembly may be required.

SC




\*Touchtime® requires use of transformer (24VAC) available from Bradley. (See separate Technical Info)



Page 1 of 2 This information is subject to change without notice. 2/21/2010 © 2012 Bradley P.O. Box 309, Menomonee Falls, WI 53052-0309 Phone: 800.BRADLEY(800.272.3539) Fax: 262.253.4161 bradleycorp.com



(mm)



Security Fixtures Pag This Document No. 7150 2/21

Page 2 of 2 This information is subject to change without notice. 2/21/2010 © 2012 Bradley P.O. Box 309, Menomonee Falls, WI 53052-0309 Phone: 800.BRADLEY(800.272.3539) Fax: 262.253.4161 bradleycorp.com