

- Designed for economical water consumption
- Large 2" diameter welded stainless steel P-trap
- Flushing rim washes all four walls
- All units factory tested for proper operation

Specifications

Materials

All cabinet materials, including interior piping are Type 304 stainless steel. The fixture is made from heavy gauge stainless steel with seamless welded surfaces.

Barrier-Free (ADA) and TAS Compliant

Complies with ADA and TAS guidelines for urinals when mounted with front edge of the rim no more than 17" above the finished floor (3" lower than standard rough-in dimensions).

Construction

All welded construction with welds ground smooth to eliminate all accessible seams and voids. Urinal has washout type action. Flushing connection is 3/4" NPS male and requires a minimum of 30 PSI for flushing. P-trap is stainless steel, has a 4" seal, and will pass a 1.9" ball. P-trap is welded to the urinal and has a 2" NPT connection. Urinal features a continuous flushing rim which washes all four walls. Bottom of urinal is sloped to integrally welded high capacity stainless steel beehive dome strainer. P-trap is fully enclosed and there are no accessible seams, voids, or crevices where contraband can be concealed. A 1.5 gallon-per-flush (low-flow) urinal is standard. Urinal assembly meets ANSI/ASME A112.19.2.

Flush Valve

Flush valve is not included as standard equipment with the unit. Flush valve included when specified. Flush valve rated at 1.5 to 1.6 gallons per flush.

Finish

All exposed stainless steel surfaces have a bead blast finish (optional #4 satin polished finish).

Wall Anchoring

No exposed mounting fasteners in cell area – fixture is completely secured from pipe chas side with rust-resistant mounting hardware for walls up to 12" thick.



Fixture requires wall openings and accessible chase for istallation maintenance. Some field assembly may be required.



*Touchtime® requires use of transformer (24VAC) available from Bradley. (See separate Technical Info)






Page 1 of 2 This information is subject to change without notice. 2/21/2010 © 2012 Bradley P.O. Box 309, Menomonee Falls, WI 53052-0309 Phone: 800.BRADLEY(800.272.3539) Fax: 262.253.4161 bradleycorp.com



(mm)



Security Fixtures Document No. 7170

Page 2 of 2 This information is subject to change without notice. 2/21/2010 © 2012 Bradley P.O. Box 309, Menomonee Falls, WI 53052-0309 Phone: 800.BRADLEY(800.272.3539) Fax: 262.253.4161 bradleycorp.com