



SXWS9148FM Front-Mounted Two-Head SX Panel Shower

Specifications

Material

All cabinet materials, including interior piping are Type 304 stainless steel. The fixture is made from heavy gauge stainless steel with seamless welded surfaces.

Construction

Panel

Shower panel has beveled edges for tight wall fit. Recessed soap dish, showerheads and push buttons are secured from back of panel for vandal-resistant installation. Vandal-resistant, stainless steel screws are used to anchor panel to wall frame at ten points.

Valving

Two valving options are offered on the unit. Both valving types are accessible from the front for maintenance and feature two valves – one for the upper fixed showerhead and one for the lower fixed showerhead. They are:

- Single-temperature air pushbutton with 5 to 60 second timing cycle adjustable from chase side only.
- TouchTime® pushbutton and piezo switch are factory set at 60 second timing.

Showerheads

Bradley "SX15" severe service 1.5 GPM (5.7 LPM) showerheads have a fixed direction spray. Spray pattern is adjustable through orifice with 1/8" Allen wrench.

Finish


All exposed stainless steel surfaces shall have a polished #4 satin finish. Brass showerheads and push buttons are triple chrome-plated.

Wall Anchoring

Mounting frame has pre-drilled holes to assist in locating wall anchors. Suitable wall anchors and screws to be furnished by contractor.

Standard Equipment

Unitized stainless shower panel with mounting frame, two "SX15" showerheads, recessed soap dish, choice of valves, and rust resistant hardware.



Models

- SXWS9148FM** Front-Mounted Two-Head SX Panel Shower

Standard Selections

Valve Type (select one):

- ASTM** Air Pushbutton
 TTPA TouchTime Pushbutton*
 TTPB TouchTime Piezo Switch*


* TTPA and TTBA valves require a low-voltage UL/CSA listed 120VAC/12VDC plug-in adapter.



SXWS9148FM Front-Mounted Two-Head SX Panel Shower

Dimensions

(mm)



Model SXWS9148FM (Air Pushbutton)

Model SXWS9148FM (TouchTime Pushbutton)

