

- Model 233**
Recessed (recesses 3-3/16"; projects 4")
- Model 233-10**
Semi-Recessed (recesses 2"; projects 5-3/16")
- Model 233-11**
Surface-Mounted (projects 7-3/16")
- Standard Series — Satin Finish
- Non-Perforated Roll Towels

Product Details

CABINET: 22 gauge stainless steel with exposed surfaces in architectural satin finish. Welded construction with seamless corners and burr-free edges.

FLANGE: 22 gauge stainless steel with exposed surfaces in architectural satin finish. One piece seamless construction, 1" wide with 1/4" return.

DOOR: 18 gauge stainless steel. Warp resistant with full length piano hinge and tumbler lock keyed like other Bradley units.

ROLL TOWEL DISPENSER: heavy gauge steel.

WASTE RECEPTACLE: 22 gauge stainless steel with exposed surfaces in architectural satin finish.

Capacity

Dispenses most non-perforated roll towels up to 8" in diameter and 8" wide in sizes from 1-1/2" to 2". 10.5-gallon waste receptacle.

Operation

Pull straight down on towel to dispense. Towels are automatically and perfectly cut to an optimum hand dry towel length of 11-1/2" (29cm). Dispenses most non-perforated roll towels up to 8" (20cm) wide when using 1-1/2"-1-5/8" (38mm-41mm) I.D. cores. Low-pull force reduces tabbing.


Installation

Verify all rough-in dimensions prior to installation. Recessed unit requires rough wall opening 15-3/4"W x 54-5/8"H x 3-13/16" (semi-recessed unit only 2" deep). Remove waste can but do not remove towel dispenser. Secure to framing with mounting screws (included) at holes provided. Shim as needed. Seal points as required. Replace waste can.

Guide Specifications

Recessed combination towel dispenser and waste receptacle shall be fabricated of 22 gauge stainless steel with exposed surfaces in satin finish. Cabinet doors of warp-free construction equipped with full length piano hinge and secured by tumbler lock. Roll towel dispenser. 10.5 gallon waste receptacle.

Overall Dimensions: 17-1/8"W x 56"H x 8"D.



 **ADA Compliant**

- Consult local and national accessibility codes for proper installation guidelines.
- Conformity and compliance to local and national codes is the responsibility of the installer.

Washroom Accessories
Document No. 8129